


Section 1: Identification	
Manufacturer: Aztec Plumbing, S.A. de C.V. 134 Cuadrados, Arco Vial García, Nuevo León, 66023 Telephone: +52 (81) 8121 0100 Company website: www.aztec-plumbing.com Prepared By: Aztec Plumbing, S.A. de C.V Company Contact: SDS Coordinator	Product Name: <p style="text-align: center;">Gasket Petrolatum</p>
Recommended Use: Wax gasket used to make a perfect seal between the toilet bowl and the floor drain.	

Section 2: Hazard(s) Identification	
Hazardous Statement: This product is not considered hazardous under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product does not meet classification criteria of the Global Harmonization System (GHS).	Physical: Flammability: N/A Other: N/A
Health: Toxicity: N/A Skin Corrosion: N/A Eye Irritation: N/A Skin Irritation: N/A	NFPA 
Precautionary: KEEP OUT OF REACH OF CHILDREN	

Section 3: Composition/Information on Ingredients
INGREDIENTS (CAS number) Slack wax (CAS. 64742-61-6)

Section 4: First-Aid Measures	
Skin:	Remove all contaminated clothes or shoes and wash skin with abundant flowing water. Get medical attention if irritation persists.
Eyes:	Flush eyes with abundant water for a minimum of 10 minutes and get medical attention.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration and get immediate medical attention.
Ingestion:	Do not induce vomiting. Do not give liquids and get medical attention.

Section 5: Fire-Fighting Measures

Flammability:	Not applicable
Extinguishing media:	Not applicable
Special Fire Fighting:	None
Specific Hazards:	None

Section 6: Accidental Release Measures

Protective Equipment:	None
Environmental Precautions:	None
Precautions:	Minimize skin contact.

Section 7: Handling and Storage

Handling:	Storage:
No special precautions	Keep away from heat, store in a well ventilated place and keep container closed when not in use.

Section 8: Exposure Controls/Personal Protection

OSHA Exposure Limits:	This product is not classified as hazardous according to OSHA 1910.1200	
Personal Protective Equipment:	Respiratory Protection:	Non Required
	Skin Protection:	Wash hands after every use
	Eyes Protection:	Non Required
Engineering Controls:	Eyewash and safety shower should be available.	

Section 9: Physical and Chemical Properties

Appearance:	Solid
Color	Brown
Odour	Slight hydrocarbon
Odour threshold	Data not available
Initial Boiling Point, °F:	Not determined
Melting / freezing Point, °F:	158-170
Flash Point, °F:	> 392
Upper/lower Flammability or explosion limits	Typical 1-10 % (V) (based on mineral oil)
Auto-ignition temperature	> 320°C / 608°F
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Volatile components:	Not applicable
Viscosity:	Not applicable
Solubility in water:	Insoluble
pH:	Not applicable
Specific Gravity:	0.76
Evaporation Rate:	Not determined



n-octanol/water partition	>6 (based on information on similar products)
Decomposition Temperature	Data not available
Flammability	Data not available

Section 10: Stability and Reactivity

Stability:	Stable
Conditions to avoid:	None
Hazardous Decomposition Products:	Oxides of Carbon
Incompatible Materials:	None
Hazardous Polymerization:	Will not occur

Section 11: Toxicological Information

Inhalation:	Prolonged exposure to vapors can cause irritation of the respiratory tract
Skin Contact:	Prolonged exposure may cause irritation and/or dermatitis
Eye Contact:	Causes eye irritation
Ingestion:	May cause gastrointestinal irritation, nausea, vomiting and/or diarrhea
Toxicity Data:	Expected to be of low toxicity; LD50 >5000 mg/kg, Rat
Long Term Effects:	None
Carcinogenicity:	Components are not known to be associated with carcinogenic

Section 12: Ecological Information

Toxicity on aquatic and/or Terrestrial organisms:	None
Persistence and Degradability:	None
Bio accumulative Potential:	None
Mobility in Soil:	None
Other Adverse Effects:	None

Section 13: Disposal Considerations

Off-fall and residual material can be returned to container and re-used. Dispose of residues in accordance with federal, state and local regulations.

Section 14: Transport Information

D.O.T.	
Proper Shipping Name:	N/A
Hazard Class/Packing Group:	N/A
UN/NA Number:	N/A
Hazard Labels:	N/A

Section 15: Regulatory Information

This product does not contain any regulated chemicals.

Section 16: Other Information

Disclaimer: This Material Safety Data Sheet was designed to give the distributors and users of Aztec Plumbing – Gasket Petrolatum information to handle and use the product in a responsible manner. However, Aztec Plumbing cannot give any guarantees regarding information from other sources.

End of Safety Data Sheet