

MSDS Number: 1253310

JARDEN OSTER KOOL LUBE 3

Revision Date: 5/14/2015

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Apollo Technologies, Inc.
1850 S. Cobb Industrial Boulevard
Smyrna, GA 30082

Phone: 770-433-0210
Web: <http://www.apolloind.com/>

Product Name: JARDEN OSTER KOOL LUBE 3
Revision Date: 5/14/2015
Version: 1
MSDS Number: 1253310
Common Name: Aerosol cooling lube
Product Code: 76300-101-005
Product Use: Aerosol cooling lube

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes - Yes Skin - Yes Inhalation - Yes Ingestion - Unlikely

Target Organs: Respiratory system; Skin;


Inhalation: Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Skin Contact: May cause mild skin irritation. Symptoms may include redness and burning of skin. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Eye Contact: Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes

Ingestion: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

NFPA: Health = 1, Fire = 1, Reactivity = 0
HMIS III: H1/F1/PH0



| HMIS III | |
|--|---|
| HEALTH | 1 |
| FLAMMABILITY | 1 |
| PHYSICAL HAZARDS | 0 |
| PERSONAL PROTECTION B Safety Glasses, Gloves | |



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 5/14/2015

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

| Cas # | Percentage | Chemical Name |
|-------|------------|---------------|
|-------|------------|---------------|

| | | |
|----------|--------|--------------------|
| 64-17-5 | 25-45% | Ethyl alcohol |
| 112-27-6 | <10% | Triethylene glycol |
| 74-98-6 | 10-20% | Propane |
| 106-97-8 | 10-20% | n-Butane |

4 FIRST AID MEASURES

Inhalation: Move to fresh air. If symptoms persist, seek medical attention.

Skin Contact: Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Eye Contact: Move to fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Ingestion: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

5 FIRE FIGHTING MEASURES

Flash Point: -156°F (-104.4°C) (propellant)

Flash Point Method: Estimated

Burning Rate: Not available.

Autoignition Temp: Not available.

LEL: Not available.

UEL: Not available.

Means of Extinguishment:

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 5/14/2015

Page 3 of 5

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

7 HANDLING AND STORAGE

Handling Precautions: HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

Storage Requirements: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Store in accordance with NFPA 30B for LEVEL 2 AEROSOL.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Maintain adequate ventilation.
Personal Protective Equip: HMIS PP, B | Safety Glasses, Gloves
HMIS PP, A | Safety Glasses

| INGREDIENTS | OSHA-PEL | EXPOSURE LIMITS | |
|--------------------|----------|-----------------|--------------------------|
| | | ACGIH-TLV | OTHER |
| Ethyl Alcohol | 1000 ppm | 1000 ppm | |
| Triethylene Glycol | ----- | ----- | 10mg/m ³ WEEL |
| Propane | Unknown | 1000 ppm | |
| n-Butane | Unknown | 800 ppm | |

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 5/14/2015

Page 4 of 5

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|----------------------------|--|---------------------|--------------------------------|
| Appearance: | Colorless, clear liquid | Odor: | Slight floral scent |
| Physical State: | Mixture packaged in pressurized aerosol sp | Solubility: | Soluble |
| Spec Grav./Density: | 0.895 - 0.905g/ml | Flash Point: | -156°F (-104.4°C) (propellant) |
| Boiling Point: | >100°F | VOC: | 62.6% |
| Flammability: | Flammable | | |
| Vapor Pressure: | No Data | | |
| pH: | No data | | |
| Evap. Rate: | >1.00 | | |

10 STABILITY AND REACTIVITY

| | |
|----------------------------------|--|
| Stability: | Product is stable under normal conditions. |
| Conditions to Avoid: | Heat, sparks, open flames and temperatures above 120°F |
| Materials to Avoid: | Acids, Aldehydes, Alkali metals, Amines, Ammonia, Bases, Ethylene oxide, halogenated hydrocarbons, halogens, inorganic materials, isocyanates, Oxidizing agents, sodium, Do not use with aluminum equipment at temperatures above 120°F. |
| Hazardous Decomposition: | CO, CO ₂ , formaldehyde, Hydrocarbons |
| Hazardous Polymerization: | Will not occur. |

11 TOXICOLOGICAL INFORMATION

No product toxicological information is available.

12 ECOLOGICAL INFORMATION

No product ecological information is available.

13 DISPOSAL CONSIDERATIONS

Do not allow into drains or water sources. Waste and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, weather special waste regulations apply.

14 TRANSPORT INFORMATION

DOT Class: Flammable Gas (2.1) #2.1
UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, Flammable



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 5/14/2015

Page 5 of 5

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Ethyl alcohol (64175 25-45%) MASS, OSHAWAC, PA, TSCA, TXAIR

*Triethylene glycol (112276 <10%) HAP, PA, TSCA

*Propane (7498610-20%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

*n-Butane (106978 10-20%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances
NRC = Nationally Recognized Carcinogens
SARA313 = SARA 313 Title III Toxic Chemicals

HAP = Hazardous Air Pollutants

Proposition 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

16

OTHER INFORMATION

Author: JB

Publication Date: 5/14/2015

Revision No. 1

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).